

“Questionnaire on management and treatment of headache in [name of profession] practice”

Final generic version adaptable for other health professionals.

Several of the questions can be moderated according to country and profession.

Question #	Final English version
	1. Demography This section concerns you as a clinician
1	What is your gender? i. Female ii. Male iii. Other gender identity
2	How old are you?
3	How many days per week do you work in the clinic? i. One ii. Two iii. Three iv. Four v. Five (+)
4	How many years have you been actively practicing? i. 0-4 ii. 5-10 iii. 11-15 iv. >15
5	Where did you obtain your [name of profession] education? i. [Relevant country or region] ii. ... iii. ... iv. ... v. Other - please state
6	Including yourself, how many [name of profession] are there at your primary workplace?
7	Are there other health professionals at the clinic? (Cross off all relevant answers) i. [Relevant health professional] ii. ... iii. ... iv. Other health professionals (please state)
8	Do you have other educations? i. No ii. Yes iii. If yes, which educations?
9	In which Region do you have your primary workplace?
	2. Headache Guideline [name of relevant guideline] This section concerns your knowledge and application of the [name of relevant guideline].
10	Are you familiar with the contents of the [name of relevant guideline]? i. Yes, all of it ii. Most of it

Question #	Final English version
	iii. Parts of it iv. No
11	Has the guideline changed the way you practice daily? i. Yes, a lot ii. Yes, to a certain extent iii. No, I was already following the guidelines iv. No, not at all If yes, continue to question 11, if not continue to question 12.
12	In which areas? (Indicate yes/no where relevant) i. [Relevant area] ii. ... iii. ... iv. Another area
	3. Primary types of headaches. This section concerns the use of diagnostic criteria for the primary headache types. Questions 13-20 concerns the diagnostic criteria for primary types of headaches according to the International Classification of Headache Disorders (ICHD).
13	How familiar are you with the following diagnostic criteria for tension-type headaches? i. Very familiar ii. Moderately familiar iii. Slightly familiar iv. Not at all familiar
14	Indicate with which parts of the diagnostic criteria for tension-type headaches you are either <i>moderately familiar</i>, <i>slightly familiar</i>, or <i>not at all familiar</i> with. Cross off all relevant answers. If you are very familiar with these criteria, please continue to question 15. (Diagnostic criteria inserted here)
15	How familiar are you with the following diagnostic criteria for migraine headaches? i. Very familiar ii. Moderately familiar iii. Slightly familiar iv. Not at all familiar
16	Indicate with which parts of the diagnostic criteria for migraine headaches that you are <i>either moderately familiar</i>, <i>slightly familiar</i>, or <i>not at all familiar</i> with. Cross off all relevant answers. If you are very familiar with these criteria, please continue to question 17. (Diagnostic criteria inserted here)
17	How familiar are you with the following diagnostic criteria for cluster headaches? i. Very familiar ii. Moderately familiar iii. Slightly familiar iv. Not at all familiar
18	Indicate with which parts of the diagnostic criteria for cluster headaches that you are either <i>moderately familiar</i>, <i>slightly familiar</i>, or <i>not at all familiar</i> with. Cross off all relevant answers. If you are very familiar with these criteria, please continue to question 19. (Diagnostic criteria inserted here)
19	Is your diagnosis for types of primary headaches based on the diagnostic criteria according to the ICHD? i. Yes ii. No

Question #	Final English version																																				
20	To what extent do you agree with the following statements regarding the diagnostic criteria of primary types of headaches? <table border="1"> <thead> <tr> <th></th> <th>Strongly disagree</th> <th>Disagree</th> <th>Neither agree nor disagree</th> <th>Agree</th> <th>Strongly agree</th> </tr> </thead> <tbody> <tr> <td>The criteria for diagnosing primary headaches are clear</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>The criteria of primary headache are easy to apply</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>The criteria fit well with my patients with primary headache</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>The diagnostic criteria have an influence on my management of patients with primary headache types</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>The diagnostic criteria help me to communicate with other healthcare professionals. (e.g., patient referrals and interdisciplinary treatment)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree	The criteria for diagnosing primary headaches are clear						The criteria of primary headache are easy to apply						The criteria fit well with my patients with primary headache						The diagnostic criteria have an influence on my management of patients with primary headache types						The diagnostic criteria help me to communicate with other healthcare professionals. (e.g., patient referrals and interdisciplinary treatment)					
	Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree																																
The criteria for diagnosing primary headaches are clear																																					
The criteria of primary headache are easy to apply																																					
The criteria fit well with my patients with primary headache																																					
The diagnostic criteria have an influence on my management of patients with primary headache types																																					
The diagnostic criteria help me to communicate with other healthcare professionals. (e.g., patient referrals and interdisciplinary treatment)																																					
	4. Secondary types of headaches. This section concerns the use of diagnostic criteria for secondary types of headaches. Questions 21-26 concerns the diagnostic criteria for secondary types of headaches according to the International Classification of Headache Disorders (ICHD).																																				
21	How familiar are you with the following diagnostic criteria for cervicogenic headaches? i. Very familiar ii. Moderately familiar iii. Slightly familiar iv. Not at all familiar																																				
22	Indicate with which parts of the diagnostic criteria for cervicogenic headaches that you are either <i>moderately familiar</i>, <i>slightly familiar</i>, or <i>not at all familiar</i> with. Cross off all relevant answers. If you are very familiar with these criteria, please continue to question 23. (Diagnostic criteria inserted here)																																				
23	How familiar are you with the following diagnostic criteria for medication overuse headaches? i. Very familiar ii. Moderately familiar																																				

Question #	Final English version																																				
	iii. Slightly familiar iv. Not at all familiar																																				
24	Indicate with which parts of the diagnostic criteria for medication overuse headaches that you are either <i>moderately familiar, slightly familiar, or not at all familiar</i> with. Cross off all relevant answers. If you are very familiar with these criteria, please continue to question 25. (Diagnostic criteria inserted here)																																				
25	Is your diagnosis for secondary types of headaches based on the diagnostic criteria according to the ICHD? i. Yes ii. No																																				
26	To what extent do you agree with the following statements concerning the diagnostic criteria for secondary types of headaches? <table border="1"> <thead> <tr> <th></th><th>Strongly disagree</th><th>Disagree</th><th>Neither agree nor disagree</th><th>Agree</th><th>Strongly agree</th></tr> </thead> <tbody> <tr> <td>The criteria for diagnosing secondary headaches are clear</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>The criteria of secondary headache are easy to apply</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>The criteria fit well with my patients with secondary headache</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>The diagnostic criteria have an influence on my management of patients with secondary headache types</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>The diagnostic criteria help me to communicate with other healthcare professionals. (e.g., patient referrals and interdisciplinary treatment)</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree	The criteria for diagnosing secondary headaches are clear						The criteria of secondary headache are easy to apply						The criteria fit well with my patients with secondary headache						The diagnostic criteria have an influence on my management of patients with secondary headache types						The diagnostic criteria help me to communicate with other healthcare professionals. (e.g., patient referrals and interdisciplinary treatment)					
	Strongly disagree	Disagree	Neither agree nor disagree	Agree	Strongly agree																																
The criteria for diagnosing secondary headaches are clear																																					
The criteria of secondary headache are easy to apply																																					
The criteria fit well with my patients with secondary headache																																					
The diagnostic criteria have an influence on my management of patients with secondary headache types																																					
The diagnostic criteria help me to communicate with other healthcare professionals. (e.g., patient referrals and interdisciplinary treatment)																																					
	5. Other types of headaches and combination headaches.																																				
27	Do you use other terms to diagnose types of headaches in addition to those recommended by ICHD classification (primary or secondary)? i. Yes ii. No																																				

Question #	Final English version
	iii. If yes, which other terms do you use? (Please state)
28	Of the patients you see, what percentage would you estimate experience combination headaches? i. 0-10% ii. 11-20% iii. 21-30% iv. 31-50% v. >50%
29	Which combination do you find most often? i. [Relevant combination] ii. ... iii. ... iv. Other combinations
	6. Medical history and physical examination This section concerns your method of medical history and physical examination of headache patients. Medical history and physical examination can discern primary headache types from secondary, by uncovering any warning signs of a serious secondary headache. It should show if the patient has other physical or mental health complications, which could be significant to the headache.

How often does the medical history contain the following elements, as a part of the evaluation and diagnosis of new headache patients?

(A 'new patient' is defined as a patient who has never been to the clinic before, a current patient presenting with headaches as a new condition or a current patient with recurring headache after at least six months without headache.)

	Never	Rarely	Sometimes	Often	Always
General medical history (general condition of health, previous trauma etc.)					
Description of the headache (localization, debut, duration, etc.)					
The character of the headache (Intensity, quality of associated pain, accompanying symptoms, daily variation, etc.)					
Causes (trigger factors, predisposing factors, aggravating or relieving factors, etc.)					
Predisposing factors (neck and/or jaw pain, physical exertion, violent cough, stress, etc.)					
Reaction pattern (Effect on level of function, medicine consumption)					
General condition of health between episodes					
Previous examinations and treatment					

Question #	Final English version																																																
31	How often do you perform or refer patients for imaging of the spine for the following types of headaches? <table border="1"> <thead> <tr> <th></th><th>Never</th><th>Rarely</th><th>Sometimes</th><th>Often</th><th>Always</th></tr> </thead> <tbody> <tr> <td>Tension-type headache</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Migraine</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Cervicogenic headache</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		Never	Rarely	Sometimes	Often	Always	Tension-type headache						Migraine						Cervicogenic headache																													
	Never	Rarely	Sometimes	Often	Always																																												
Tension-type headache																																																	
Migraine																																																	
Cervicogenic headache																																																	
32	How often does your physical examination contain the following elements, as a part of the investigation and diagnosis of new headache patients? (A 'new patient' is defined as a patient who has never been to the clinic before, a current patient presenting with headaches as a new condition or a current patient with recurring headache after at least six months without headache.) <table border="1"> <thead> <tr> <th></th><th>Never</th><th>Rarely</th><th>Sometimes</th><th>Often</th><th>Always</th></tr> </thead> <tbody> <tr> <td>Blood pressure measurement</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Examination of the neck (range of motion, soft tissue, and palpation of joint movement)</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Gait assessment</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Evaluation of mental acuity. (e.g., relevant answers to questions)</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Cranial nerve screening (pupil reaction, eye movement, sensory and motor function of the facial area, mouth and tongue function, soft palate function)</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Neurological screening of the upper extremities, (trophic function, muscle tonus, muscle strength, sensory function, reflexes)</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Coordination and balance (e.g., Romberg's test)</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		Never	Rarely	Sometimes	Often	Always	Blood pressure measurement						Examination of the neck (range of motion, soft tissue, and palpation of joint movement)						Gait assessment						Evaluation of mental acuity. (e.g., relevant answers to questions)						Cranial nerve screening (pupil reaction, eye movement, sensory and motor function of the facial area, mouth and tongue function, soft palate function)						Neurological screening of the upper extremities, (trophic function, muscle tonus, muscle strength, sensory function, reflexes)						Coordination and balance (e.g., Romberg's test)					
	Never	Rarely	Sometimes	Often	Always																																												
Blood pressure measurement																																																	
Examination of the neck (range of motion, soft tissue, and palpation of joint movement)																																																	
Gait assessment																																																	
Evaluation of mental acuity. (e.g., relevant answers to questions)																																																	
Cranial nerve screening (pupil reaction, eye movement, sensory and motor function of the facial area, mouth and tongue function, soft palate function)																																																	
Neurological screening of the upper extremities, (trophic function, muscle tonus, muscle strength, sensory function, reflexes)																																																	
Coordination and balance (e.g., Romberg's test)																																																	
	7. Monitoring and treatment effectiveness This section concerns the tools you might use to monitor headache patients.																																																

Question #	Final English version																																																												
	A headache diary can be helpful in finding a diagnosis and will therefore be useful in the early stages of a headache investigation. A headache calendar can primarily be used for the follow up of headache treatment.																																																												
33	How often do you use the following tools to monitor headache patients? <table border="1"> <thead> <tr> <th></th> <th>Never</th> <th>Rarely</th> <th>Sometimes</th> <th>Often</th> <th>Always</th> </tr> </thead> <tbody> <tr> <td>Headache diary</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Headache calendar</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> If you use other tools for monitoring, please state which.		Never	Rarely	Sometimes	Often	Always	Headache diary						Headache calendar						Other																																									
	Never	Rarely	Sometimes	Often	Always																																																								
Headache diary																																																													
Headache calendar																																																													
Other																																																													
	8. Interdisciplinary cooperation This section concerns your cooperation with other healthcare professionals in the management of headache patients.																																																												
34	How often do you receive referrals from the following healthcare professionals in relation to the management of headache patients? <table border="1"> <thead> <tr> <th></th> <th>Never</th> <th>Rarely</th> <th>Sometimes</th> <th>Often</th> <th>Always</th> </tr> </thead> <tbody> <tr> <td>Medical doctor</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chiropractor</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Physiotherapist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Medical specialist (e.g., neurologist, rheumatologist, psychiatrist, etc.)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Psychologist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Dentist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Health visitor/district nurse</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Massage therapist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other therapist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> If you receive referrals from other healthcare professionals, please state which healthcare professionals.		Never	Rarely	Sometimes	Often	Always	Medical doctor						Chiropractor						Physiotherapist						Medical specialist (e.g., neurologist, rheumatologist, psychiatrist, etc.)						Psychologist						Dentist						Health visitor/district nurse						Massage therapist						Other therapist					
	Never	Rarely	Sometimes	Often	Always																																																								
Medical doctor																																																													
Chiropractor																																																													
Physiotherapist																																																													
Medical specialist (e.g., neurologist, rheumatologist, psychiatrist, etc.)																																																													
Psychologist																																																													
Dentist																																																													
Health visitor/district nurse																																																													
Massage therapist																																																													
Other therapist																																																													
35	How often do you refer/recommend patients to the following healthcare professionals in connection with the management of headache patients? <table border="1"> <thead> <tr> <th></th> <th>Never</th> <th>Rarely</th> <th>Sometimes</th> <th>Often</th> <th>Always</th> </tr> </thead> <tbody> <tr> <td>Medical doctor</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chiropractor</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Physiotherapist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Medical specialist (e.g., neurologist, rheumatologist, psychiatrist, etc.)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Psychologist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Dentist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Health visitor/district nurse</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Massage therapist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other therapist</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> If you refer patients to other healthcare professionals, please state which healthcare professionals.		Never	Rarely	Sometimes	Often	Always	Medical doctor						Chiropractor						Physiotherapist						Medical specialist (e.g., neurologist, rheumatologist, psychiatrist, etc.)						Psychologist						Dentist						Health visitor/district nurse						Massage therapist						Other therapist					
	Never	Rarely	Sometimes	Often	Always																																																								
Medical doctor																																																													
Chiropractor																																																													
Physiotherapist																																																													
Medical specialist (e.g., neurologist, rheumatologist, psychiatrist, etc.)																																																													
Psychologist																																																													
Dentist																																																													
Health visitor/district nurse																																																													
Massage therapist																																																													
Other therapist																																																													

Question #	Final English version																																									
36	Red flags: To what extent are you familiar with the following indications for further (acute) investigation in patients with headache? <table border="1"> <thead> <tr> <th></th> <th>Not familiar</th> <th>Partly familiar</th> <th>Very familiar</th> </tr> </thead> <tbody> <tr> <td>Thunderclap headache (sudden onset, intense headache)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Symptoms of increased intracranial pressure (morning headache, aggravation by coughing/sneezing/diaphragm pressure, impaired vision)</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Newly occurring headache in a cancer or HIV patient</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Headache/facial pain accompanied by fever or neurological deficits</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Progressing headache over weeks</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Newly occurring headache in patients under 10 or over 40 years of age</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Nocturnal headaches in children</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Not familiar	Partly familiar	Very familiar	Thunderclap headache (sudden onset, intense headache)				Symptoms of increased intracranial pressure (morning headache, aggravation by coughing/sneezing/diaphragm pressure, impaired vision)				Newly occurring headache in a cancer or HIV patient				Headache/facial pain accompanied by fever or neurological deficits				Progressing headache over weeks				Newly occurring headache in patients under 10 or over 40 years of age				Nocturnal headaches in children							
	Not familiar	Partly familiar	Very familiar																																							
Thunderclap headache (sudden onset, intense headache)																																										
Symptoms of increased intracranial pressure (morning headache, aggravation by coughing/sneezing/diaphragm pressure, impaired vision)																																										
Newly occurring headache in a cancer or HIV patient																																										
Headache/facial pain accompanied by fever or neurological deficits																																										
Progressing headache over weeks																																										
Newly occurring headache in patients under 10 or over 40 years of age																																										
Nocturnal headaches in children																																										
37	How often do you refer patients with headache to other health professionals based on the following reasons? <table border="1"> <thead> <tr> <th></th> <th>Never</th> <th>Rarely</th> <th>Sometimes</th> <th>Often</th> <th>Always</th> </tr> </thead> <tbody> <tr> <td>To confirm/move closer to a diagnosis</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>To improve the patient's ability to self-manage headache-related loss of function</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>To investigate a 'red flag' (acute investigation)</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>For pain relief treatment in a case of acute headache</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>For preventative headache treatment</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Never	Rarely	Sometimes	Often	Always	To confirm/move closer to a diagnosis						To improve the patient's ability to self-manage headache-related loss of function						To investigate a 'red flag' (acute investigation)						For pain relief treatment in a case of acute headache						For preventative headache treatment					
	Never	Rarely	Sometimes	Often	Always																																					
To confirm/move closer to a diagnosis																																										
To improve the patient's ability to self-manage headache-related loss of function																																										
To investigate a 'red flag' (acute investigation)																																										
For pain relief treatment in a case of acute headache																																										
For preventative headache treatment																																										
9. Headache management I This section concerns your management of headache patients.																																										

Question #	Final English version																																									
38	How important are the following results in your management of headache patients? <table border="1"> <thead> <tr> <th></th> <th>Not important at all</th> <th>Not especially important</th> <th>Neutral</th> <th>Somewhat important</th> <th>Very important</th> </tr> </thead> <tbody> <tr> <td>Prevention of headache episodes</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shorter duration of headache episodes</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Pain relief during an episode</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Improvement of headache-related coping strategies</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>An overall improvement of general health and well-being</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>							Not important at all	Not especially important	Neutral	Somewhat important	Very important	Prevention of headache episodes						Shorter duration of headache episodes						Pain relief during an episode						Improvement of headache-related coping strategies						An overall improvement of general health and well-being					
	Not important at all	Not especially important	Neutral	Somewhat important	Very important																																					
Prevention of headache episodes																																										
Shorter duration of headache episodes																																										
Pain relief during an episode																																										
Improvement of headache-related coping strategies																																										
An overall improvement of general health and well-being																																										
39	Tension-type headache: How often do you use the following treatment options in managing headache patients? <table border="1"> <thead> <tr> <th></th> <th>Never</th> <th>Rarely</th> <th>Sometimes</th> <th>Often</th> <th>Always</th> </tr> </thead> <tbody> <tr> <td>Manipulation</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Massage, myofascial techniques</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Exercises</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Advice about headache trigger factors</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> If you use 'Other', please state which other treatment options you use.							Never	Rarely	Sometimes	Often	Always	Manipulation						Massage, myofascial techniques						Exercises						Advice about headache trigger factors						Other					
	Never	Rarely	Sometimes	Often	Always																																					
Manipulation																																										
Massage, myofascial techniques																																										
Exercises																																										
Advice about headache trigger factors																																										
Other																																										
40	Migraine: How often do you use the following treatment options in managing headache patients? <table border="1"> <thead> <tr> <th></th> <th>Never</th> <th>Rarely</th> <th>Sometimes</th> <th>Often</th> <th>Always</th> </tr> </thead> <tbody> <tr> <td>Manipulation</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Massage, myofascial techniques</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Exercises</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Advice about headache trigger factors</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Other</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> If you use 'Other', please state which other treatment options you use.							Never	Rarely	Sometimes	Often	Always	Manipulation						Massage, myofascial techniques						Exercises						Advice about headache trigger factors						Other					
	Never	Rarely	Sometimes	Often	Always																																					
Manipulation																																										
Massage, myofascial techniques																																										
Exercises																																										
Advice about headache trigger factors																																										
Other																																										

Question #	Final English version																																				
41	Cervicogenic headache: How often do you use the following treatment options with your headache patients? <table border="1"> <thead> <tr> <th></th><th>Never</th><th>Rarely</th><th>Sometimes</th><th>Often</th><th>Always</th></tr> </thead> <tbody> <tr> <td>Manipulation</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Massage, myofascial techniques</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Exercises</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Advice about headache trigger factors</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Other</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> If you use 'Other', please state which other treatment options you use.		Never	Rarely	Sometimes	Often	Always	Manipulation						Massage, myofascial techniques						Exercises						Advice about headache trigger factors						Other					
	Never	Rarely	Sometimes	Often	Always																																
Manipulation																																					
Massage, myofascial techniques																																					
Exercises																																					
Advice about headache trigger factors																																					
Other																																					
	10. Headache management II This section concerns your treatment plans for headache patients																																				
42	Indicate the average number of consultations you expect to see in a course of management of a new patient with the following headache types as their primary complaint <table border="1"> <thead> <tr> <th></th><th>0-4</th><th>5-7</th><th>8-10</th><th>11 or more</th></tr> </thead> <tbody> <tr> <td>Tension-type</td><td></td><td></td><td></td><td></td></tr> <tr> <td>Migraine</td><td></td><td></td><td></td><td></td></tr> <tr> <td>Cervicogenic headache</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		0-4	5-7	8-10	11 or more	Tension-type					Migraine					Cervicogenic headache																				
	0-4	5-7	8-10	11 or more																																	
Tension-type																																					
Migraine																																					
Cervicogenic headache																																					
43	Indicate the average expected duration of a course of treatment for a new patient complaining of the following headache types <table border="1"> <thead> <tr> <th></th><th>1-2 weeks</th><th>3-5 weeks</th><th>6-8 weeks</th><th>9 weeks or more</th></tr> </thead> <tbody> <tr> <td>Tension-type</td><td></td><td></td><td></td><td></td></tr> <tr> <td>Migraine</td><td></td><td></td><td></td><td></td></tr> <tr> <td>Cervicogenic headache</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		1-2 weeks	3-5 weeks	6-8 weeks	9 weeks or more	Tension-type					Migraine					Cervicogenic headache																				
	1-2 weeks	3-5 weeks	6-8 weeks	9 weeks or more																																	
Tension-type																																					
Migraine																																					
Cervicogenic headache																																					
44	Indicate the average expected number of treatments per week, in a course of management of a new patient with the following headache types as their primary complaint. <table border="1"> <thead> <tr> <th></th><th>1 time per week</th><th>2 times per week</th><th>3 times per week</th><th>More than 3 times per week</th></tr> </thead> <tbody> <tr> <td>Tension-type</td><td></td><td></td><td></td><td></td></tr> <tr> <td>Migraine</td><td></td><td></td><td></td><td></td></tr> <tr> <td>Cervicogenic headache</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		1 time per week	2 times per week	3 times per week	More than 3 times per week	Tension-type					Migraine					Cervicogenic headache																				
	1 time per week	2 times per week	3 times per week	More than 3 times per week																																	
Tension-type																																					
Migraine																																					
Cervicogenic headache																																					
45	In your experience, how effective is the treatment you provide as a [name of profession] for the following types of headaches? <table border="1"> <thead> <tr> <th></th><th>Not effective</th><th>Rarely effective</th><th>Sometimes effective</th><th>Often effective</th><th>Difficult to discern</th></tr> </thead> <tbody> <tr> <td>Tension-type</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Migraine</td><td></td><td></td><td></td><td></td><td></td></tr> <tr> <td>Cervicogenic headache</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>		Not effective	Rarely effective	Sometimes effective	Often effective	Difficult to discern	Tension-type						Migraine						Cervicogenic headache																	
	Not effective	Rarely effective	Sometimes effective	Often effective	Difficult to discern																																
Tension-type																																					
Migraine																																					
Cervicogenic headache																																					
46	Please describe the most common side-effects reported by your headache patients after treatment																																				

Question #	Final English version
47	Do you have any comments to the answering of questions or your participation in this project?